



H&Y INTERNATIONAL CO., LIMITED

ADDRESS : Room 1401, Cambridge House, 26-28 Cameron Road,
Tsimshatsui, Kowloon. HongKong.

TEL : (852) 30506880 FAX : (852) 30506890 Email : info@hnyintl.com

China address: NO.68 3rd street Dongyi, Dongyi new area,Shiji town,Panyu
district,Guangzhou city, Guangdong,China

TEL : 8620-34583359 FAX : 8620-34583359 Email : hnyvip@vip.163.com

Http : www.hnyintl.com Skype:evian1314 QQ:621840784

HY2001 FLEXOGRAPHIC HIGH-SPEED LABEL PRINTING MACHINE

Specification

Label length : 10.0 mm ~ 294.0mm

Label width : 4 mm ~ 140 mm

Speed : 0 meter ~ 1.2 meter/sec.

Dimensions : 965 mm (L)×660 mm (W)×1829 mm (H)

Weight : 300kg.

Power : 220AC 50HZ/60HZ 2.5KW



Performance:

- Printing various kind of label
- High- speed ,with fine, vivid color and exquisite quality.
- 2c+1c Printing
- Washing durable and colorfast



H&Y INTERNATIONAL CO., LIMITED

ADDRESS : Room 1401, Cambridge House, 26-28 Cameron Road,
Tsimshatsui, Kowloon. HongKong.

TEL : (852) 30506880 FAX : (852) 30506890 Email : info@hnyintl.com

China address: NO.68 3rd street Dongyi, Dongyi new area,Shiji town,Panyu
district,Guangzhou city, Guangdong,China

TEL : 8620-34583359 FAX : 8620-34583359 Email : hnyvip@vip.163.com

Http: www.hnyintl.com Skype:evian1314 QQ:621840784

HY4002 FLEXOGRAPHIC HIGH-SPEED LABEL PRINTING MACHINE

Specification

Label length : 10.0 mm ~ 294.0mm

Label width : 4 mm ~ 140 mm

Speed : 0 meter ~ 1.2 meter/sec.

Dimensions : 1333 mm (L)×760 mm (W)×1900 mm (H)

Weight : 580kg.

Power : 220AC 50HZ/60HZ 2.5KW

Performance:

- Printing various kind of label
- High- speed ,with fine, vivid color and exquisite quality.
- 4c+2c Printing
- Washing durable and colorfast



H&Y INTERNATIONAL CO., LIMITED

ADDRESS : Room 1401, Cambridge House, 26-28 Cameron Road, Tsimshatsui, Kowloon. HongKong.

TEL : (852) 30506880 FAX : (852) 30506890 Email: info@hnyintl.com

China address: NO.68 3rd street Dongyi, Dongyi new area, Shiji town, Panyu district, Guangzhou city, Guangdong, China

TEL : 8620-34583359 FAX : 8620-34583359 Email: hny@vip.163.com

Http: www.hnyintl.com Skype: evian1314 QQ: 621840784



ALF-300A ULTRASONIC LABEL CUTTING AND FOLDING MACHINE



Specificat ion

Label Width: 10mm~53mm

Label Length: 36mm~160mm

Cutting Method: Piece Cut and central fold

Output: 220 Pieces Per Minute (60mm Label Length)

Cut Accuracy: ± 0.5 mm

Ultrasonic: 1400w


Power: 220v Ac or 110v Ac

Dimension: 850mm(W) \times 680mm(D) \times 1430mm(H)


Net Weight: 150kgs



CENTRE FOLD 對摺



CENTRE FOLD 對摺



CENTRE FOLD 對摺



H&Y INTERNATIONAL CO., LIMITED

ADDRESS : Room 1401, Cambridge House, 26-28 Cameron Road,
Tsimshatsui, Kowloon. HongKong.

TEL : (852) 30506880 FAX : (852) 30506890 Email : info@hnyintl.com

China address: NO.68 3rd street Dongyi, Dongyi new area, Shiji town, Panyu
district, Guangzhou city, Guangdong, China

TEL : 8620-34583359 FAX : 8620-34583359 Email : hny@vip.163.com

Http : www.hnyintl.com Skype: evian1314 QQ: 621840784

ALC-108A ULTRASONIC LABEL CUTTING MACHINE

Specification

Label Width: 10mm~55mm

Label Length: 20mm~800mm

Cutting Method: Complete Cut and fold mark

Output: 1600 Dozens Per Hour(50mm Label Length)


Cut Accuracy: ± 0.5 mm

Ultrasonic: 1400w

Power: 220v Ac or 110v Ac

Dimension: 850mm(W) \times 680mm(D) \times 1370mm(H)

Net Weight: 110kgs



ONLY CUTTING 单切



H&Y INTERNATIONAL CO., LIMITED

ADDRESS : Room 1401, Cambridge House, 26-28 Cameron Road,
Tsimshatsui, Kowloon. HongKong.

TEL : (852) 30506880 FAX : (852) 30506890 Email : info@hnyintl.com

China address: NO.68 3rd street Dongyi, Dongyi new area,Shiji town,Panyu
district,Guangzhou city; Guangdong,China

TEL : 8620-34583359 FAX : 8620-34583359 Email : hnyvip@vip.163.com

Http : www.hnyintl.com Skype:evian1314 QQ:621840784

ALC-103 FULLY AUTOMATIC LABEL CUTTING MACHINE



Specification

Label Width: 10mm~80m

Label Length: 15mm minimum,800mm maximum

Through Put: 1200 dozens per hour(50mm Label Length)

Cut Accuracy: ± 0.5 mm

Power: 220v Ac 50-60HZ

Dimension: 850mm(W) \times 450mm(D) \times 600mm(H)

Net Weight: 45kgs



H&Y INTERNATIONAL CO., LIMITED

ADDRESS : Room 1401, Cambridge House, 26-28 Cameron Road, Tsimshatsui, Kowloon. HongKong.

TEL : (852) 30506880 FAX : (852) 30506890 Email : info@hnyintl.com

China address: NO.68 3rd street Dongyi, Dongyi new area, Shiji town, Panyu district, Guangzhou city, Guangdong, China

TEL : 8620-34583359 FAX : 8620-34583359 Email : hnyvip@vip.163.com

Http : www.hnyintl.com Skype:evian1314 QQ:621840784

Water-washed plate making machine

Flexo plate making machine features an exposure with UV lamps and vacuum suction with cover sheet on a bard PVC board

Washout section is completely made of stainless steel with flat brushes and evolving plate-holder. Brushes can be finely adjusted in height to work with different plate-thicknesses and water temperature can vary from 0 up to 45C

Drying section has one drawer with hot air circulation by a heating blower temperature range from 0°C up to 95°C controlled with a thermostat, The central control panel monitors all the functions with electro-mechanical switches and timers.

The basic steps of sheet polymer plate making:

Back exposure

Face exposure

plate washed

Inspection & drying

Post cure & detack finish



Type	Exposure size mm	External size	power	Power KW	Weight (kg)
HY300	400*300mm	670*510*960mm	220V 50 Hz	1. 2Kw	110kg
HY350	450*350mm	670*580*960mm	220V 50 Hz	1. 3Kw	116kg
HY450	600*450mm	830*620*960mm	220V 50 Hz	1. 5Kw	130kg